

PANEL PROCESSING

EDGEBANDERS REFERENCE CHART

Product Name/No.	Manual	Semi-auto.	Automatic	Single sided	Double sided	Feed Speed Min. & Max.	Glue System					Workpiece size capacity Min. & Max.	Straight line	Comb. straight line & sofforming	Radius	Contour	Special Features	Options											
							Hot air blower	Hot melt glue pot	Cartridge	PVAc cold glue	Comb. hot melt glue pot/PVAc							Multiple feeding stations	Sanding	Grooving	Buffing	Fine trimming	Straining	Other (Specify)					
Casadei Busellato, 4322 Piedmont Pkwy., Greensboro, NC 27410 (336) 854-1211 www.delmac.com																													
Casadei ALA-21			■	■		30 fpm		■				PT 8-40mm ET .4-3mm	■		■		PLC control avail. F&R angle trim, T&B bevel trim				■			Scraping					
Casadei ALA-23			■	■		34 fpm		■				PT 8-55mm ET .4-5mm	■		■		PLC touchscreen, F&R angle trim, T&B bevel trim				■			Pre-mill scraping, corner rounding					
Doellken-Woodtape Ltd., 230 Orenda Rd., Brampton, ON L6T 1E9 Canada (905) 673-5156 or (800) 461-0061 www.doellken-woodtape.com																													
Woodtape C-25						1-30 ft.	Heat bar					1/4"-2", custom size to 4" width	■		■		4-side continuous banding for preglued edgebanding							End cutters					
Woodtape C-40						1-60 ft.	Heat bar					1/2"-2", custom size to 4" width	■		■		4-side continuous banding for preglued E/B, Pressure roller & guide attachment for high speed							End cutters					
Felder USA 2 Lukens Drive, Ste. 300, New Castle, DE 19720 (866) 792-5288 www.feldergroupusa.com 1851 Enterprise Blvd., West Sacramento, CA 95691 (800) 572-0061																													
Felder P200			■	■		15 fpm						10mm-45mm	■																
Felder G300			■	■		15 fpm		■				10mm-45mm	■										Opt						
Felder G500			■	■		27 fpm		■				8mm-60mm	■				Pre-warmer						Opt	Scraping opt.					
Frama-Tech Inc., 2001 S. Acacia Ave., Compton, CA 90220 (800) 622-9663 www.framatech.com																													
EB-S-C	■			■		Variable	■					Any size	■	■	■		1 phase												
EB-10-C	■			■		Variable	■					Any size	■	■	■		1 phase												
EB-25			■	■		15 fpm	■					7/16 to 2-9/16"	■				Top, bottom, end trim, 1 phase												
AG-98	■			■		Variable	■					1/2 to 2"					110 volts, hand-held												
Hess Group America, P.O. Box 537, Point Pleasant, NJ 08742 (800) 973-4377 www.hess-usa.com																													
Mobil	■			■								Up to 1 1/4" thick x 2" high edging (approx.1min.)	■				Work horiz.or vert; butt or mitered corners; mica, tape, lumber bands, waterfall & pre shaped edgebanding							Pre-heating of edge strips; coil holder; opt. 2" thick capacity; 4" edge height capacity					
Holz-Her, a division of Weinig, P.O. Box 3158, Mooresville, NC 28117 (704) 799-0100, (800) 666-8533 www.weinigusa.com																													
Sprint Series 1302 1303 1310 1315 1317 1320 1321			■	■		33 fpm 33 fpm 35 fpm 26-59 fpm 26-59 fpm 26-59 fpm 26-59 fpm		■				6-45mm	■				Patented glue nozzle 3-min. heat-up time. No smoke, no fumes Corner-rounding unit. Pre-milling unit. Special profile trim. Pre-milling & spl profile Progrrml work stations. Full servo motors for adjst.						■	■	■	■	■	■	PPC Control
Triathlon 1485-1490			■	■		26-78 fpm		■				6-60mm	■				High production capacity; 25 mm solid wood capacity; PUR glue option; Programmable work stations; Full servo motors for adjustments.								PPC Control; Multiple frame lengths; Bell holddown; networkable; bar code capable				

PANEL PROCESSING

EDGEBANDERS REFERENCE CHART

Product Name/No.	Manual	Semi-auto.	Automatic	Single sided	Double sided	Feed Speed Min. & Max.	Glue System					Workpiece size capacity Min. & Max.	Straight line	Comb. straight line & soffforming	Radius	Contour	Special Features	Options								
							Hot air blower	Hot melt glue pot	Cartridge	PVAc cold glue	Comb. hot melt glue pot/ PVAc							Multiple feeding stations	Sanding	Grooving	Buffing	Fine trimming	Straining	Other (Specify)		
1100 series			■	■		26 fpm		■					■		■	■	Buffing, scraping					■	■	3mm strips		
1200 series			■	■		36 fpm		■					■		■	■	Buffing, scraping						■	■	6mm strips	
1400 series			■	■		36 fpm		■					■		■	■	Buffing, scraping							■	■	8mm strips
1600 series			■	■		36-46 fpm		■					■		■	■	Program control									12mm strips
1800 series			■	■		49-65 fpm		■					■		■	■	Programmable, variable speed									20mm strips

Tapes & Tools, P.O. Box 1195, High Point, NC 27261 (336) 884-5371 www.adwood.com

Adamik			■	■											■	■	Straight & contour									Port. or table mount
--------	--	--	---	---	--	--	--	--	--	--	--	--	--	--	---	---	--------------------	--	--	--	--	--	--	--	--	----------------------

Therm O Web Inc., 770 Glenn Ave., Wheeling, IL 60090 (800) 323-0799 www.thermoweb.com

DX16			■	■		12'		■					1mm				16 tooth trim blades 10,000 rpm trim motors								■	Compact tabletop unit, cabinet opt.
XT Trimmer			■	■									4mm				Pneumatic flush end trim panel hold-down									Roller ball tabletop radius or bevel cut
DX83			■	■		12'		■					1mm				16-tooth star blades, produces 40,000 cuts/min									Top panel power feed unit
LX70			■	■		1'-23' variable		■					4mm				Elec. edge counter 1.5 qt glue tank									Roller ball tabletop variable speed
RX75			■	■		18'		■					2mm				Top & bottom high freq. trim motors									Sing. ph. dual flush end trim guillotine

Thermwood Corp., P.O. Box 436, Dale, IN 47523 (800) 533-6901 www.thermwood.com

Fravol 70CB			■			8-39 fpm Variable		■					PT 10-200mm ET .4 - 3mm				Contour edgebander									End trim saw, power feed, tilting table
Fravol VSB			■			13&26 fpm Fixed		■					PT 10-40mm ET .4-3mm				Contour edgebander									
Fravol VSR			■	■									PT 16-60mm				T&B straight or radius trim									End trim saw

Virutex.com Corp., 50 Hill St. #509, Southampton, NY 11968 (800) 868-9663 www.virutex.com

EB-35			■	■		15 fpm		■					3 mm				Top, bottom, ends flush, trim									Feeder
EB-25			■	■		15 fpm		■					1 mm				See above									Feeder
PEB 500			■			15 fpm		■					3 mm				Portable glue pot for small shop									Bench mount option
PEB 50			■			15 fpm		■					3 mm				Portable glue pot for small shop									Bench mount option